

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 14	
1. CONTRACT PURCH ORDER/AGREEMENT NO. W52H09-04-P-0437			2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2004JUN16		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA5		
6. ISSUED BY TACOM-ROCK ISLAND AMSTA-LC-CFA NANCY FRASER (309)782-3239 ROCK ISLAND IL 61299-7630 EMAIL: FRASERN@RIA.ARMY.MIL			CODE W52H09		7. ADMINISTERED BY (If other than 6) DCMA PHILADELPHIA 700 ROBBINS AVENUE BLDG 4-A PO BOX 11427 PHILADELPHIA PA 19111-0427 SCD: C PAS: NONE ADP PT: HQ0337			CODE S3915A		8. DELIVERY FOB  <input type="checkbox"/> DESTINATION <input checked="" type="checkbox"/> OTHER (See Schedule if other)	
9. CONTRACTOR  KAMPI COMPONENTS CO., INC. 88 CANAL ROAD FAIRLESS HILLS, PA. 19030-4302  NAME AND ADDRESS  TYPE BUSINESS: Other Small Business Performing in U.S.			CODE 7Z016		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
12. DISCOUNT TERMS 1/4% 10, NET 30			13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Block 15								
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS PO BOX 182266 COLUMBUS OH 43218-2266			CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE OF ORDER DELIVERY/CALL PURCHASE X THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT. Reference your <input checked="" type="checkbox"/> Oral <input type="checkbox"/> Written Quotation _____, Dated 2004JUN03. NANCY FRASER furnish the following on terms specified herein. ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.											
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMDD)  <input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT
		SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price  KIND OF CONTRACT: Supply Contracts and Priced Orders									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.						24. UNITED STATES OF AMERICA MARK A HICKS LT COLONEL /SIGNED/ HICKSM@RIA.ARMY.MIL (309)782-7116 BY: CONTRACTING/ORDERING OFFICER				25. TOTAL \$12,979.75	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.  <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		29. D.O. VOUCHER NO.		30. INITIALS	
f. TELEPHONE NUMBER			g. E-MAIL ADDRESS			31. PAYMENT  <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.								34. CHECK NUMBER			
a. DATE (YYYYMMDD)			b. SIGNATURE AND TITLE OF CERTIFYING OFFICER							35. BILL OF LADING NO.	
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.	

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W52H09-04-P-0437 <b>MOD/AMD</b>	<b>Page</b> 2 <b>of</b> 14
<b>Name of Offeror or Contractor:</b> KAMPI COMPONENTS CO., INC.		

SUPPLEMENTAL INFORMATION

Phosphate coating procedure is required to be submitted for approval prior to production per the Section C clause CS6510 and the Contract Data Requirements List (DD Form 1423).

First Article Test requirement has been waived for this procurement.

\*\*\* END OF NARRATIVE A 001 \*\*\*

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0437 MOD/AMD	Page 3 of 14
--------------------	---	--------------

Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SUPPLIES OR SERVICES AND PRICES/COSTS  NSN: 3040-01-100-4947 FSCM: 19200 PART NR: 12009053 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u>  NOUN: SHAFT, SHOULDERED PRON: M141F013M1 PRON AMD: 02 ACRN: AA AMS CD: 070011  <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: B  <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin  <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W52H094107H983 W25G1U J 1 <u>DEL REL CD QUANTITY DEL DATE</u> 001 105 29-NOV-2004  FOB POINT: Destination  SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001  <u>CONTRACT/DELIVERY ORDER NUMBER</u> W52H09-04-P-0437/0000  DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 002 W52H094107H984 W31G1Z J 1 <u>DEL REL CD QUANTITY DEL DATE</u> 001 70 29-NOV-2004  FOB POINT: Destination  SHIP TO: <u>FREIGHT ADDRESS</u> (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380	175	EA	\$ 74.17000	\$ 12,979.75

Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	ANNISTON AL 36201-4199  <u>CONTRACT/DELIVERY ORDER NUMBER</u> W52H09-04-P-0437/0000  <u>CONTRACT DATA REQUIREMENTS LIST - EXHIBIT A</u>  NOUN: PHOSPHATE COATING PROCEDURE SECURITY CLASS: Unclassified  Contractor will prepare and deliver the technical data in accordance with the requirements, quantities and schedules set forth in the Contract Data Requirements Lists (DD Form 1423), Exhibit A.  A DD 250 IS NOT REQUIRED FOR CLIN 0002.  (End of narrative B001)  <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Destination		EA	\$ ** NSP **	\$ ** NSP **

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W52H09-04-P-0437 <b>MOD/AMD</b>	<b>Page</b> 5 <b>of</b> 14
<b>Name of Offeror or Contractor:</b> KAMPI COMPONENTS CO., INC.		

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	Regulatory Cite	Title	Date
1	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing (TDPL) 12009053 with revisions in effect as of 29 Apr 2004 (except as follows):

ENGINEERING EXCEPTIONS: see RFQ Attachment 1 for exceptions applicable to this order.

(CS6100)

2	52.210-4501 TACOM-RI	PHOSPHATE COATING REQUIREMENT	MAR/2002
---	-------------------------	-------------------------------	----------

The following requirements regarding phosphate coating are applicable to this solicitation and any resultant contract in addition to those requirements set forth in specification MIL-DTL-16232G.

a. Paragraph 3.1 of MIL-DTL-16232G refers to "Preproduction Inspection". The appropriate address to which phosphate coating procedures should be sent by the contractor is Commander, Tank-automotive and Armaments Command - Rock Island site, ATTN: AMSTA-LC-CFAA/N Fraser, Rock Island, IL 61299-7630. The contract number must be cited on all phosphate coating procedures being submitted to TACOM-RI for review and approval. Procedures shall include product name and manufacturer of all chemicals to be used. All processes, equipment, and controls used for phosphating shall be described in detail.

b. Paragraph 3.2.5-c of MIL-DTL-16232G refers to the "Chromic acid rinse, (Classes 1, 2, and 3)." The final rinse shall be checked by a standard free and total acid titration along with a pH reading prior to starting production and at least every 8 hours thereafter.

c. Paragraph 4.7.3 of MIL-DTL-16232G refers to "Weight per unit area of phosphate coatings." The frequency for testing coating weight is per lot "at least every 8 hours."

d. Paragraph 4.7.5 of MIL-DTL-16232G refers to "Accelerated corrosion resistance." Accelerated corrosion resistance shall be determined in accordance with 4.7.5.1. The frequency for testing accelerated corrosion resistance per ASTM B117 is per lot "at least every 8 hours."

(End of clause)

(CS6510)

3	52.211-4505 TACOM RI	AVAILABLE TECHNICAL DATA PACKAGE (TDP)	APR/2000
---	-------------------------	--	----------

a. The Technical Data Packages (TDPs) for this solicitation is currently accessible on the Internet in the National Stock Number/TDP column of the Open Solicitations Web Page listing associated with this solicitation (address: [http://aais.ria.army.mil/aais/Padds\\_web/index.html](http://aais.ria.army.mil/aais/Padds_web/index.html)). Contractors who are interested in bidding, offering, or quoting on the item(s) being solicited must download a copy of the TDP so that they will have access to the TDP in accordance with the solicitation. Hard copies of the TDP will NOT be provided during the solicitation process. At time of award, the TDP will continue to be accessible on the Internet on the Award Web Page for an additional 30 days.

(End of Clause)

(CS7102)

4	52.248-4502 TACOM RI	CONFIGURATION MANAGEMENT DOCUMENTATION	JUL/2001
---	-------------------------	--	----------

The contractor may submit Engineering Change Proposals (ECPs), Value Engineering change Proposals (VECPs), (Code V shall be assigned to an engineering change that will effect a net life cycle cost), including Notice of Revisions (NORs), and Request for Deviations (RFDs),

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W52H09-04-P-0437 <b>MOD/AMD</b>	<b>Page</b> 6 <b>of</b> 14
<b>Name of Offeror or Contractor:</b> KAMPI COMPONENTS CO., INC.		

for the documents in the Technical Data Package (TDP). The contractor shall prepare these documents in accordance with the Data Item Descriptions cited in block 04 on the enclosed DD Form 1423, Contract Data Requirements List.

Contractor ECPs/VECPs shall describe and justify all proposed changes and shall included NORs completely defining the change to be made. Contractors may also submit RFD, which define a temporary departure from the Technical Data package or other baseline documentation under Government control. The contractor shall not deliver any units incorporating any change/deviation to Government documentation until notified by the Government that the change/deviation has been approved and the change/deviation has been incorporated in the contract.

If the Government receives the same or substantially the same VECs from two or more contractors, the contracts whose VECP is received first will be entitled to share with the Government in all instant, concurrent, future, and collateral savings under the terms of the VE clause in the contract.

Duplicate VECs, which are received subsequently, will be returned to the contractor(s) without formal evaluation, regardless of whether or not the first VECP has been approved and accepted by the Government.

(End of Clause)

(CS7110)

PACKAGING AND MARKING

5                    52.211-4501                    PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)                    FEB/2004

A. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY  
Level of Packing: B  
Quantity Per Unit Package: 001  
SPI Number: P12009053, Rev C, dated 11 Aug 2000

B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

C.                    Marking: In addition to any special markings called out on the SPI;

C.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

C.2. Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.

C.3. Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

C.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed

<p align="center"><b>CONTINUATION SHEET</b></p>	<p align="center"><b>Reference No. of Document Being Continued</b></p> <p align="center"><b>PIIN/SIIN</b> W52H09-04-P-0437      <b>MOD/AMD</b></p>	<p align="right"><b>Page</b> 7 <b>of</b> 14</p>
---	--	---

**Name of Offeror or Contractor:** KAMPI COMPONENTS CO., INC.

instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label:  
[http://www.assettrak.com/catt/msl\\_irrd/mslirrdmain.htm](http://www.assettrak.com/catt/msl_irrd/mslirrdmain.htm). This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<http://milpac.com>) and Easysoft Corporation (<http://easysoftcorp.com>). Insure that the "ship to" and "mark for" in-the-clear delivery address is complete including: consignee's name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

D. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

E. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the PCO and ACO. The Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

**F. Hazardous Materials:**

F.1. Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

F.2. Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations  
International Maritime Dangerous Goods Code (IMDG)  
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49  
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments)

F.3. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations. Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

F.4. A Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

G. SUPPLEMENTAL INSTRUCTIONS: Delete MIL-B-117 and replace with MIL-DTL-117.

(End of clause)

(DS6419)

**INSPECTION AND ACCEPTANCE**

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/>      or      [www.acq.osd.mil/dp/dars](http://www.acq.osd.mil/dp/dars)

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0437 MOD/AMD	Page 8 of 14
Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.		

(EA7001)

6	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE	AUG/1996
7	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
8	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999
The Contractor shall comply with the higher-level quality standard selected below, (If more than one standard is listed, the offeror shall indicate its selection by checking the appropriate block.)			

Title	Number	Date	Tailoring
QUALITY MANAGEMENT SYSTEMS - REQUIREMENTS	ISO 9001:2000	13 DEC 2000	EXCLUDE PARA 7.3, 7.4, 7.5.1, AND 7.5.2

(End of clause)

(EF6002)

9	52.246-4528 TACOM-RI	REWORK AND REPAIR OF NONCONFORMING MATERIAL	MAY/1994
---	-------------------------	---	----------

- a. Rework and Repair are defined as follows:
- (1) Rework - The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.
- (2) Repair - The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.
- b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.
- c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.
- d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.
- e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of Clause)

(ES7012)

DELIVERIES OR PERFORMANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.



CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0437 MOD/AMD	Page 9 of 14
Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.		

(FA7001)

10	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
11	52.247-34	F.O.B. DESTINATION	NOV/1991
12	52.247-48	F.O.B. DESTINATION - EVIDENCE OF SHIPMENT	FEB/1999
13	52.211-16	VARIATION IN QUANTITY	APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

Zero percent (0%) increase

Zero percent (0%) decrease.

This increase or decrease shall apply to the total contract quantity.

(End of Clause)

(FF7020)

14	52.247-4531 TACOM-RI	COGNIZANT TRANSPORTATION OFFICER	MAY/1993
----	-------------------------	----------------------------------	----------

(a) The contract administration office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:

(1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;

(2) Obtain shipping instructions as necessary for F.O.B. Destination delivery; and

(3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.

(4) For FMS, at least 10 days in advance of actual shipping date the contractor should request verification of ''Ship to'' and ''Notification'' address from the appropriate DCMAO.

(b) The contract administration office will provide to the contractor data necessary for shipment marking and freight routing.

(c) The contractor shall not ship directly to a Military air or water port terminal without authorization by the designated point of contact.

(End of Clause)

(FS7240)

Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.

CONTRACT ADMINISTRATION DATA

PRON/										JOB					
LINE	AMS CD/		OBLG							ORDER	ACCOUNTING		OBLIGATED		
ITEM	MI	PR	ACRN	STAT	ACCOUNTING CLASSIFICATION					NUMBER	STATION		AMOUNT		
0001AA	M141F013M1		AA	2	97	X4930AC6G	6D		26FB	S11116		W52H09	\$	12,979.75	
	070011														
													TOTAL	\$	12,979.75
SERVICE										ACCOUNTING		OBLIGATED			
NAME	TOTAL BY ACRN		ACCOUNTING CLASSIFICATION					STATION		AMOUNT					
Army		AA		97	X4930AC6G	6D		26FB	S11116		W52H09	\$	12,979.75		
													TOTAL	\$	12,979.75

1552.232-4500CONTRACT PAYMENT INSTRUCTIONS

TACOM-RI

AUG/1997

The paying office shall ensure that the invoice/voucher is disbursed from each ACRN as indicated on the invoice/voucher.

(End of clause)

(GS7016)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W52H09-04-P-0437 <b>MOD/AMD</b>	<b>Page 11 of 14</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:** KAMPI COMPONENTS CO., INC.

**SPECIAL CONTRACT REQUIREMENTS**

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or [www.acq.osd.mil/dp/dars](http://www.acq.osd.mil/dp/dars)

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(HA7001)

16                      52.246-4500                      MATERIAL INSPECTION & RECEIVING REPORTS (DD FORM 250)                      NOV/2001  
TACOM-RI

(a) Material Inspection and Receiving Report(s) (DD Form 250), are required to be prepared and furnished to the Government under the clause of this contract entitled 'Material Inspection and Receiving Report'. Distribution of reports to the Purchasing Office (in accordance with DoD FAR Supplement Appendix F) shall be accomplished electronically.

(b) Two copies of the DD Form 250 are required to be submitted to the Purchasing Office. To satisfy this submission requirement electronically, the completed documents may be transmitted via electronic mail, or data fax. The electronic mail address for submission is fraser.n@ria.army.mil. The data fax number for submission is 309-782-1961, ATTN: Nancy Fraser.

(End of Clause)

(HS6510)

17                      52.247-4545                      PLACE OF CONTRACT SHIPPING POINT, RAIL INFORMATION                      MAY/1993  
TACOM-RI

The bidder/offeror is to fill in the 'Shipped From' address, if different from 'Place of Performance' indicated elsewhere in this section.

Shipped From:

---



---



---

For contracts involving F.O.B. Origin shipments furnish the following rail information:

Does Shipping Point have a private railroad siding? \_\_\_\_ YES \_\_\_\_ NO

If YES, give name of rail carrier serving it: \_\_\_\_\_

If NO, give name and address of nearest rail freight station and carrier serving it:

Rail Freight Station Name and Address: \_\_\_\_\_

Serving Carrier: \_\_\_\_\_

(End of Clause)

(HS7600)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0437 MOD/AMD	Page 12 of 14
Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.		

CONTRACT CLAUSES

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or [www.acq.osd.mil/dp/dars](http://www.acq.osd.mil/dp/dars)

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(IA7001)

18	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
19	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
20	52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES	JAN/2004
21	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
22	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION	OCT/2003
23	52.243-1	CHANGES - FIXED PRICE	AUG/1987
24	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
25	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
	DFARS		
26	252.204-7004	CENTRAL CONTRACTOR REGISTRATION - ALTERNATE A	NOV/2003
	DFARS		
27	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
	DFARS		
28	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAY/2004
	DFARS		
29	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
	DFARS		
30	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
	DFARS		
31	252.242-7000	POSTAWARD CONFERENCE	DEC/1991
	DFARS		
32	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
	DFARS		
33	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
	DFARS		
34	52.213-4	TERMS AND CONDITIONS - SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS)	APR/2004

Paragraph (b)(1)(viii) is deleted from this clause.

Information to be inserted in Paragraph (c):

<http://www.arnet.gov/far/>  
or  
[www.acq.osd.mil/dp/dars](http://www.acq.osd.mil/dp/dars)

(IF8001)

35	52.252-6	AUTHORIZED DEVIATIONS IN CLAUSES	APR/1984
(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.			
(b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.			

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W52H09-04-P-0437 <b>MOD/AMD</b>	<b>Page 13 of 14</b>
<b>Name of Offeror or Contractor:</b> KAMPI COMPONENTS CO., INC.		

(End of clause)

(IF7016)

36 252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS FEB/2003  
DFARS

(a) Definition. ''SPI process,'' as used in this clause, means a management or manufacturing process that has been accepted previously by the department of defense under the Single Process Initiative (SPI) for use in lieu of specific military or Federal specification or standard at specific facilities. Under SPI, these processes are reviewed and accepted by a Management Council, which includes representatives from the Defense Contract Management Agency, the Defense Contract Audit Agency, and the military departments.

(b) Offerors are encouraged to propose SPI process in lieu of military or Federal specifications and standards cited in the solicitation. A listing of SPI process accepted at specific facilities is available via the Internet in Excel format at <http://www.dcms.mil/onebook/7.0/7.2/7.2.6/reports/modified.xls>

(c) An offeror proposing to use an SPI process in lieu of military or Federal specifications or standard cited in the solicitation shall--

(1) Identify the specific military or Federal specification or standard for which the SPI process has been accepted,

(2) identify each facility at which the offeror proposed to use the specific SPI process in lieu of military or Federal specifications or standards cited in the solicitation;

(3) Identify the contract line items, subline items, components, or elements affected by the SPI process; and

(4) If the proposed SPI process has been accepted at the facility at which it is proposed for use, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.

(d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications or standards:

(Offeror insert information for each SPI process)

SPI Process: \_\_\_\_\_

Facility: \_\_\_\_\_

Military or Federal Specification or Standard: \_\_\_\_\_

Affected Contract Line Item Number, Subline Item Number, Component, or Element: \_\_\_\_\_

(e) If a prospective offeror wishes to obtain, prior to the time specified for receipt of offers, verification that an SPI process is an acceptable replacement for military or Federal specifications or standards required by the solicitation, the prospective offeror -

(1) May submit the information required by paragraph (d) of this clause to the Contracting Officer prior to submission of an offer;but

(2) Must submit the information to the Contracting Officer at least 10 working days prior to the date specified for receipt of offers.

(End of Clause)

(IA7009)

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 14 of 14
	PIIN/SIIN W52H09-04-P-0437	MOD/AMD	
Name of Offeror or Contractor: KAMPI COMPONENTS CO., INC.			

LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 001	CONTRACTOR'S OFFER	03-JUN-2004	002	
Attachment 002	REQUEST FOR QUOTE	26-MAY-2004	011	